



**greenlux**  
cost reduction LED lighting

# Horizon LED Linear Light System 8060

Available in 50W & 66W  
80% lumen maintenance at 50,000 hours

- Create your own ceiling light in various shapes with this flexible LED linear system
- Excellent heat dissipation and even light distribution
- High light output 3760 / 4700lm
- High quality aluminium housing with PC cover
- One junction box could connect to 4 lights at the same time with in-built terminals.
- Concentric design of the end cap makes light fixture 30° rotatable both ways
- Ideal solution for designers and architects who would like to create their own artistic lights.

## Specifications

|                          |                       |
|--------------------------|-----------------------|
| <b>Colour Range</b>      | 2700-6500k            |
| <b>Power Consumption</b> | 50W / 65W             |
| <b>Lumens</b>            | 3760lm / 4700lm       |
| <b>LED Quantity</b>      | 204 / 252             |
| <b>Input Voltage</b>     | 100V ~ 240V AC        |
| <b>Beam angle</b>        | 110°                  |
| <b>CRI</b>               | 80                    |
| <b>PF</b>                | >0.9                  |
| <b>LED Type</b>          | 2835 SMD              |
| <b>Dimmable</b>          | 0-10V / Dali (option) |



## Dimensions & Materials

|                                |                              |                |
|--------------------------------|------------------------------|----------------|
| <b>Product Dimensions (mm)</b> | 4Ft                          | 1259 * 60 * 80 |
|                                | 5Ft                          | 1559 * 60 * 80 |
| <b>Housing Material</b>        | Aluminium Profile + PC Cover |                |
| <b>Housing Color</b>           | Black/Grey                   |                |
| <b>Environment</b>             | Indoor Location              |                |
| <b>Warranty</b>                | 5 years                      |                |






**greenlux**  
cost reduction LED lighting

# Horizon LED Linear Light System 8060



Dimensions (Unit: mm/inch)





**greenlux**  
cost reduction LED lighting

# Horizon LED Linear Light System 8060



| Model             | CCT        | LED Type | Lumen(lm) | LED Qty(pcs) | Dimensions(mm) | Dimming(option) |
|-------------------|------------|----------|-----------|--------------|----------------|-----------------|
| GSHOR-50W-8060-4F | 2700-6500K | SMD 2835 | 3760lm    | 36W          | 1259*60*80     | 0-10V<br>Dali   |
| GSHOR-65W-8060-5F |            |          | 4700lm    | 60W          | 1559*60*80     |                 |