




greenlux
cost reduction LED lighting

Accord Series 02 LED Track Spot Light



- Available in multiple installation: recessed, surface mounted & track mounted
- 340° horizontal & 90° vertical rotatable
- High quality COB light source
- Performs high efficiency and energy saving, Up to 80% energy saving compared to standard CFL
- Replaces traditional track lights
- IP20 for indoor use only
- 3 Years Warranty
- Applications include shopping centres, galleries, cafes, hotels, theatres, museums & display cases

Specifications

Colour Range	2700 ~ 5000K
Lumens	80 ~ 85lm/W
Power Consumption	10W / 20W / 30W
Input Voltage	100V/240V AC
Chipset	COB
Beam angle	36° & 60°
Power Factor	>0.9
Dimmable	Triac Dimmer (option)
CRI	>80
IP	20




Materials

Housing Materials	Aluminum Die-casting
Housing Colour	White or Black



ADJUSTABLE LIGHTING

orientation with 340 degree in horizontal direction and 90 in vertical direction provided




TRACK LIGHT

CR180 and high efficient COB led chip to assure that high center luminous intensity

EXCELLENT HEAT DISSIPATION

adopts die-casting ADC12





Surface Mounted
A



Surface Mounted
B



Recessed
C



Track
D

Lamp with surface mounted, track adaptor and recessed installations, can meet different demands and easy to install







greenlux
cost reduction LED lighting

Accord Series 02 LED Track Spot Light


10W



20W



30W





greenlux
cost reduction LED lighting

Accord Series 02 LED Track Spot Light

Model	Installation	Product size (mm)	LED	Beam Angle	Dimmable (option)
GUACC-10W-02-A	Surface Mounted-A	97x61x158	COB	36° & 60°	Triac
GUACC-20W-02-A	Surface Mounted-A	240x61x158	COB	36° & 60°	Triac
GUACC-30W-02-A	Surface Mounted-A	240x61x158	COB	36° & 60°	Triac
GUACC-10W-02-B	Surface Mounted-B	97x61x160	COB	36° & 60°	Triac
GUACC-20W-02-B	Surface Mounted-B	250x61x160	COB	36° & 60°	Triac
GUACC-30W-02-B	Surface Mounted-B	370x61x160	COB	36° & 60°	Triac
GUACC-10W-02-C	Recessed-C	97x61x167	COB	36° & 60°	Triac
GUACC-10W-02-D	Track Mounted-D	97x61x175	COB	36° & 60°	Triac

