





# Oxley 03X Series LED Sport / Stadium Floodlight

## Better solutions for a Led Flood Light

- 

**IP66 water-proof**
  - 

**AC100-277V 50/60Hz  
AC277-480V 50/60Hz**
  - 

**Easy Installation**
  - 

**160lm/W @ 30°**
- Operating Temp.:** -40°C ~ +50°C     **Storage Temp.:** -40°C ~ +80°C



## Options

Power	Color	Beam Angle
MEAN WELL DRIVER	3000K	30°
HLG series A: Standard	4000K	15°
HLG series B: Dimmable 1-10V	5700K	

## Application


Sports Lighting, Stadium lighting, Sports fields, Car parks, High mast installations Dock, railway and container yards, Ports and other large scale outdoor applications, Architectural lighting, Landscape lighting, Industrial and commercial exterior lighting Decorative lighting for holidays, tradeshows, exhibitions.

## Specifications


Item	Power	Luminous Efficacy	Leds	CRI	Weight	Beam Angle
GBOXL-300W-03X	300W	160lm/W @ 30° 120lm/W @ 15°	LUMILEDS 5050	>70	18kg	30°/15°
GBOXL-400W-03X	400W	160lm/W @ 30° 120lm/W @ 15°	LUMILEDS 5050	>70	18kg	30°/15°
GBOXL-500W-03X	500W	160lm/W @ 30° 120lm/W @ 15°	LUMILEDS 5050	>70	18kg	30°/15°
GBOXL-600W-03X	600W	160lm/W @ 30° 120lm/W @ 15°	LUMILEDS 5050	>70	18kg	30°/15°
GBOXL-700W-03X	700W	160lm/W @ 30° 120lm/W @ 15°	LUMILEDS 5050	>70	30.5kg	30°/15°
GBOXL-800W-03X	800W	155lm/W @ 30° 120lm/W @ 15°	LUMILEDS 5050	>70	30.5kg	30°/15°
GBOXL-1000W-03X	1000W	155lm/W @ 30° 120lm/W @ 15°	LUMILEDS 5050	>70	30.5kg	30°/15°

## Dimensions (mm)


## Photometry




P1(300W/400W/500W/600W)




(700W/800W/1000W)




30°




15°



P2(300W/400W/500W/600W)



(700W/800W/1000W)



P3(300W/400W/500W/600W)

# Oxley 03X Series LED Sport / Stadium Floodlight



## P1 Standard Bracket



lens is 30° or 15°

Anti-glare Lighting cover

## P2 Rotatable Bracket



lens is 30° or 15°

Anti-glare Lighting cover

## P3 Slip fitter Bracket




lens is 30° or 15°

Anti-glare Lighting cover


## Installation

### P1 Standard Bracket




# Oxley 03X Series LED Sport / Stadium Floodlight

## P2 Rotatable Bracket



## P3 Slip fitter Bracket



## Optional

