


## LED Surface Mounted Down Light

### Specification



<b>Product code:</b>	GUCUS-01
<b>Power:</b>	10W / 18W / 25W
<b>Electric data:</b>	AC 220-240V 50/60Hz
<b>Lumen:</b>	870 / 1660 / 2050lm
<b>Beam angle:</b>	15° / 24° / 36°
<b>Color temperature:</b>	2700K ~ 5000K
<b>IP class:</b>	IP20 / IP40
<b>CRI:</b>	>80 / >90
<b>Dimmable:</b>	TRIAC / 0-10V / DALI
<b>LED source:</b>	COB LED
<b>Fixture material:</b>	Aluminum
<b>Finish:</b>	White / Black / Grey / Gold
<b>Warranty:</b>	Residential 3 Yrs / Commercial 5 Yrs

Model	Dimension(mm)	Lumens(lm)	CCT(k)	Dimmer (options)
GUCUS-10W-01	Ø80*130	870	3000 4000 5000	TRIAC 0-10V DALI
GUCUS-18W-01	Ø80*160	1660		
GUCUS-25W-01	Ø112.5*160	2050		

LM80


5 Yrs  
Warranty

RCM

SAA

IP20

TUV



## AL6063 ALUMINUM RADIATOR

in sand blast oxidation treatment provides excellent heatdissipation and corrosion resistance



## SUSPENSION WIRE

adopts pull-resistance triple-core wire wrapped with woven cloth. It enhances the tensile strength and easily install compared to steel wire

