

Tempest BUD Up/Down LED Linkable Batten




FEATURES:

- Aluminum body, PC Cover
- Replaceable LED strips
- Isolated LED driver
- 5 years warranty
- 100-277V, 50-60Hz
- 120° beam angle
- Easy maintenance
- CRI > 83 (CRI >92 optional)
- Linkable



OPTIONS:

- 2FT/4FT/5FT/8FT
- CCT 3000K/4000K/5000K/6500K
- Dimmable
- Colour: White, Silver, Black




MODEL NO.	WATTAGE	DIMENSION(mm) L * W * H	LUMENS
GOTEM-20W-2F-BUD	20W	620x130x58	2100lm/2600lm
GOTEM-40W-2F-BUD	40W	620x130x58	4800lm
GOTEM-10/20W-2F-BUD	UP:10W DOWN:20W	620x130x58	3150lm/3900lm
GOTEM-20/40W-2F-BUD	UP:20W DOWN:40W	620x130x58	7200lm
GOTEM-40W-4F-BUD	40W	1230x130x58	4200lm/5200lm
GOTEM-60W-4F-BUD	60W	1230x130x58	7200lm
GOTEM-10/30W-4F-BUD	UP:10W DOWN:30W	1230x130x58	4200lm/5200lm
GOTEM-20/40W-4F-BUD	UP:20W DOWN:40W	1230x130x58	6300lm/7200lm
GOTEM-50W-5F-BUD	50W	1516x130x58	5250lm/6500lm
GOTEM-60W-5F-BUD	60W	1516x130x58	6300lm/7200lm
GOTEM-80W-5F-BUD	80W	1516x130x58	8400lm/10400lm
GOTEM-100W-5F-BUD	100W	1516x130x58	12000lm
GOTEM-25/50W-5F-BUD	UP:25W DOWN:50W	1516x130x58	7875lm/9000lm
GOTEM-30/60W-5F-BUD	UP:30W DOWN:60W	1516x130x58	9450lm/10800lm
GOTEM-80W-8F-BUD	80W	2404x130x58	8400lm/9600lm
GOTEM-120W-8F-BUD	120W	2404x130x58	14400lm
GOTEM-160W-8F-BUD	160W	2404x130x58	19200lm
GOTEM-40/80W-8F-BUD	UP:40W DOWN:80W	2404x130x58	12600lm/14400lm
GOTEM-60/120W-8F-BUD	UP:60W DOWN:120W	2404x130x58	21600lm


Product Design



Fixtures can be linked




Replaceable LED strips




Up and down lighting



Silver




White



Black

Dimension



Colour Temperature



MAC LIGHTFUL
6500K

WHITE LIGHT
5000K

PURE WHITE
4000K

WARM LIGHT
3000K

White
6500K



Warm
3000K

Bright



Dark



Office



Classroom




Corridor

Accessories



Ceiling accessories



Hanging accessories

