

UFO G4 Series LED Highbay Light



Better solutions for Led Highbay Light

- 
IP65 water-proof
- 
AC100-277V 50/60Hz
- 
Easy Installation
- 
140Lm/w

Operating Temp.: -40°C~+50°C for C1/C2 Storage Temp.: -40°C~+80°C
 -20°C~+50°C for C4

Options

Driver	Voltage	CCT
MEAN WELL Driver	AC100-277V for C1/C4	3000K
Sosen Driver	AC120-277V for C2	4000K
TUV,UL List Driver		5000K
		5700K




Application

Factories, Steel Mills, Steel Smelting Plants, Manufacturing Plants & Warehouses Farms and Industrial Installations, sport Facilities & Workshops, Storage Facilities & Warehouses Supermarkets & Department Stores, Showrooms, Design Centers & Galleries.


Specifications

Version	Item	Power	Luminous Efficacy	Leds	CRI	Weight	Beam Angle
C1/C2	GBUFO-80W-G4-C1/C2	80W	140lm/W	SMD 3030	> 80	3.50kg(7.72lbs)	90°/120°/60°
	GBUFO-100W-G4-C1/C2	100W	140lm/W	SMD 3030	> 80	3.50kg(7.72lbs)	90°/120°/60°
	GBUFO-120W-G4-C1/C2	120W	140lm/W	SMD 3030	> 80	3.50kg(7.72lbs)	90°/120°/60°
	GBUFO-150W-G4-C1/C2	150W	140lm/W	SMD 3030	> 80	3.50kg(7.72lbs)	90°/120°/60°
	GBUFO-200W-G4-C1/C2	200W	140lm/W	SMD 3030	> 80	5.50kg(12.13lbs)	90°/120°/60°
	GBUFO-240W-G4-C1/C2	240W	140lm/W	SMD 3030	> 80	5.50kg(12.13lbs)	90°/120°/60°
C4	GBUFO-80W-G4-C4	80W	140lm/W	SMD 3030	> 80	3.50kg(7.72lbs)	90°/120°
	GBUFO-100W-G4-C4	100W	140lm/W	SMD 3030	> 80	3.50kg(7.72lbs)	90°/120°
	GBUFO-120W-G4-C4	120W	140lm/W	SMD 3030	> 80	3.50kg(7.72lbs)	90°/120°
	GBUFO-150W-G4-C4	150W	140lm/W	SMD 3030	> 80	3.50kg(7.72lbs)	90°/120°
	GBUFO-200W-G4-C4	200W	140lm/W	SMD 3030	> 80	5.50kg(12.13lbs)	90°/120°

Dimensions(mm)



Photometry



UFO G4 Series LED Highbay Light




Model Options




Installation and use

P1 Mounting Ring (Standard)




P2 Mounting Bracket A



UFO G4 Series LED Highbay Light


P3 Mounting Ring

1




Power	D1
100W	10mm
150W	10mm
200W	10mm
240W	10mm


2a




3a



2b




3b




Brown(Black)--- L
 Blue(White)--- N
 G/Y(Green)--- GND

4b




P4 Mounting Bracket B

1




Power	D1	D2
100W	180mm	12mm
150W	180mm	12mm
200W	180mm	12mm

2




3



Brown(Black)--- L
 Blue(White)--- N
 G/Y(Green)--- GND


P5 Mounting Ring

1




Power	D1
100W	10mm
150W	10mm
200W	10mm

2




3



Brown(Black)--- L
 Blue(White)--- N
 G/Y(Green)--- GND


P6 Mounting Bracket C

1




Power	D1	D2
100W	100mm	12mm
150W	100mm	12mm
200W	100mm	12mm

2



3



Brown(Black)--- L
 Blue(White)--- N
 G/Y(Green)--- GND